

Certificate of Analysis

Product name: Fludrocortisoni acetat micr.

Batch number / Weight: 23J19-B01-230282 / 300 MG

Analysed according to: Ph.Eur.11.2

Number of analysis / Inspection Code 23J19-B01 / INS-23-8422

Reference Code / No.: V01457 / 2142AM0 B0022223

Tests	Requirement	Result	Unit	Standard remark
Appearance	(almost) white, crystalline powder	Conform		
Particle size	99% < 25 µm / 90% <10 µm	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Specific optical rotation	+148 - +156	+150,7		
Related substances	Conform	Conform		
Any impurity	<=1,0	0,08	%	
Total impurities	<=1,5	0,13	%	
Loss on drying	<=1,0	0,05	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer
Assay Fludrocortisone acetate	97,0 - 103,0	100,31	%m/m	

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL lab

Release:
Dominika Sołtysik
Qualified Person

04-12-2023

Expiration: 18-05-2027

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl Fagron Services Northern Europe Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail: fsne@fagron.pl