



Certificate of Analysis

Productname: Adeps lanae

Inspection No: J03521/0422/536

Batchnumber: 22D04-T02-093752

Expiration date: 31.03.2024

Analysed according to: ČL 2017-Dopl.2020, Ph.Eur.10.0

Original Manuf. Date: 31.3.2022

Sample Unit: 1 x 5 g

Batch Size: 278 x 1 kg

Identification of producer: V00328

Batch no. of vendor: L05204/2

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Yellow, unctuous substance. When melted, it is a clear or almost clear, yellow liquid. A solution in light petroleum is opalescent.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	Conform	Conform		green	Fagron CZ
Identification B	Conform	Conform		Red / strong green fluorescence	Fagron CZ
TESTS					
Water-soluble acid or alk. substances	Conform	Conform			Fagron CZ
Water-absorption capacity	>= 20	36	ml		Fagron CZ
Acid value	<=1,0	1,0			Fagron CZ
Peroxide value	<=20	11			Fagron CZ
Saponification value	90 - 105	104			Fagron CZ
Water-soluble oxidisable substances	Conform	Conform			Fagron CZ
Paraffins	<= 1,0	0,34	%		Fagron CZ
Pesticide residues	Conform	Conform			Contract Lab
Chlorides	<=150	<150	ppm		Fagron CZ
Loss on drying	<=0,5	0,0	%	105 °C	Fagron CZ
Sulfated ash	<=0,15	0,11	%		Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	< 10	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	< 10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	ICH Q3C	Conform			Data Producer
Metallic residues	ICH Q3D	Conform			Data Producer
Drop point	38 - 44	44	°C		Data Producer
Butylhydroxytoluene	calculated value	126,310	ppm		Data Producer

Quality: Excipient

Name	Fagron a.s. (CZ)	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
	Kontrolní laboratoř č. 536	Post Code	779 00	Fax No.	+420 585 226 521

Performed by: Pavla Šlězarová

Responsible: Ing. Pavel Mišák, QC
MVDr. Zdenka Borská, QP

Date: 03.05.2022

Conclusion: **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.