



Certificate of Analysis

Productname: Vaselinum album

Inspection No: L02407/0524/536
Batchnumber: 24A22-T03-112112
Expiration date: 31.01.2027
Analysed according to: ČL 2023, Ph. Eur. 11.0
Original Manuf. Date: 31.1.2024

Sample Unit: 1 x 20 g
Batch Size: 10 x 5 kg

Identification of producer: V01479
Batch no. of vendor: 1547673

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	(Almost) white, translucent, soft unctuous mass, transparent in thin layer even after cooling to 0 °C.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	35 - 70	55	°C	Drop point	Fagron CZ
Identification B	Conform	Conform		IR-spectrum	Fagron CZ
Identification D	Conform	Conform		Appearance	Fagron CZ
TESTS					
Appearance	Conform	Conform			Fagron CZ
Density	Conform	0,819	g/cm ³	60°C, USP	Data Producer
Acidity or alkalinity	<=0,5	0,05	ml	0.01 M NaOH	Fagron CZ
Consistency	60 - 300	75			Contract Lab
UV abs. limit for poly.arom.hydrocarb.	<=75	<75	ppm		Fagron CZ
Sulfated ash	<=0,05	0,0	%		Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	<10	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	<10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	ICH Q3C	Conform			Data Producer
Metallic residues	ICH Q3D	Conform			Data Producer

Quality: Excipient

Performed by: QC Fagron a.s. (CZ)

Responsible: Mgr. Zdeňka Šinclová, QC
MVDr. Zdenka Borská, QA/ QP

Date: 23.04.2024

Conclusion: **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.