



Certificate of Analysis

Productname: Geranii etheroleum

Inspection No: K01127/0523/536
Batchnumber: 21J26-T19-102645
Expiration date: 10.10.2024
Analysed according to: Internal
Original Manuf. Date: 11.10.2021

Sample Unit: 1 x 2 ml
Batch Size: 5 x 30 ml

Identification of producer: V00201
Batch no. of vendor: 1281427

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Coulourless, pale yellow or greenish, clear liquid with a characteristic odour.	Conform			Contract Lab
Solubility	Conform	Conform			Contract Lab
IDENTIFICATION					
Identification A	Conform	Conform		TLC	Contract Lab
TESTS					
Relative density	0,882 - 0,902	0,890		d(20/20)	Contract Lab
Relative density	0,880 - 0,900	0,888		d(20/4)	Contract Lab
Optical rotation	-13 - -3	-10	°		Contract Lab
Refractive index	1,460 - 1,480	1,463			Contract Lab
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	Conform	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	Conform	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer

Classified as cosmetic ingredient.

Performed by: Ekocentrum + SVÚ

Responsible: Ing. Pavel Mišák, QC
 MVDr. Zdenka Borská, QP

Date: 24.05.2023

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.