

Certificate of Analysis

Productname: Polysorbatum 80

Inspection No: I08909/1121/536
Batchnumber: 21J07-T03-090746
Expiration date: 31.08.2023
Analysed according to: ČL 2017-Dopl.2020,Ph.Eur.10.0
Original Manuf. Date: 5.8.2021

Sample Unit: 1 x 10 ml
Batch Size: 227 x 250 ml

Identification of producer: V01687
Batch no. of vendor: 2525731

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Oily, colourless or brownish-yellow, clear, or slightly opalescent liquid.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
Relative density	About 1,10	1,10			Fagron CZ
Viscosity	About 400	400	mPa.s	25 °C	Fagron CZ
IDENTIFICATION					
Identification A	Conform	Conform		IR-spectrum	Fagron CZ
Identification D	Conform	Conform		Composition of fatty acids	Contract Lab
TESTS					
Acid value	<=2,0	0,05			Fagron CZ
Hydroxyl value	65 - 80	73			Fagron CZ
Peroxide value	<=10,0	0,356			Fagron CZ
Saponification value	45 - 55	49			Fagron CZ
Composition of fatty acids	Conform	Conform		GC	Contract Lab
Myristic acid	<=5,0	0,1	%		Contract Lab
Palmitic acid	<=16,0	15,3	%		Contract Lab
Palmitoleic acid	<=8,0	0,8	%		Contract Lab
Stearic acid	<=6,0	3,8	%		Contract Lab
Oleic acid	>=58,0	78,4	%		Contract Lab
Linoleic acid	<=18,0	0,1	%		Contract Lab
Linolenic acid	<=4,0	<0,1	%		Contract Lab
Ethylene oxide	<=1	<0,2	µg/g	GC	Contract Lab
Dioxane	<=10	<2,5	µg/g	GC	Contract Lab
Water	<=3,0	2,7	%	Karl Fischer	Fagron CZ
Total ash	<=0,25	0,00	%		Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	<10	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	<10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer

Name	Fagron a.s. (CZ)	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
	Kontrolní laboratoř č. 536	Post Code	779 00	Fax No.	+420 585 226 521

Performed by: Lucie Kubáňová DiS.
Responsible: Ing. Pavel Mišák, QC
MVDr. Zdenka Borská, QA
Date: 19.11.2021
Conclusion: **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.

Name	Fagron a.s. (CZ) Kontrolní laboratoř č. 536	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
		Post Code	779 00	Fax No.	+420 585 226 521