

Certificate of Analysis

Product name: **Chlorzoxazonum**
Batch number / Weight: **22D25-B08-218683 / 25 G**
Analysed according to: **USP**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, crystalline powder	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Melting point	189 - 194	192,2	°C	
Loss on drying	<=0,5	0,03	%	
Residue on ignition	<=0,15	0,00	%	
Related substances	Conform	Conform		
Any spot	<=0,5	Conform	%	
Any spot	<=0,25	Conform	%	
Chlorine	20,6 - 21,2	21,1	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Chlorzoxazone	98,0 - 102,0	100,1	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer
Residual solvents				
Ethanol		272	ppm	

Analysis performed by the authorized lab.

Release:
 Ewelina Gadzinowska
 Qualified Person

20-07-2022

Expiration: 11-03-2027

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.