

Certificate of Analysis

Product name: **Borax**

Batch number / Weight: **23B14-B16-224809 / 1 KG**

Analysed according to: **Ph.Eur.11**

Number of analysis / Inspection Code **23B14-B16 / INS-23-2848**

Reference Code / No.: **V00583 / C01X**

Tests	Requirement	Result	Unit	Standard remark
Appearance	white or almost white, crystalline powder colourless crystals or crystalline masses efflorescent	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Identification C	Conform	Conform		
pH	9,0 - 9,6	9,40		
Sulfates	<=50	< 50	ppm	
Ammonium	<=10	< 10	ppm	
Calcium	<=100	<100	ppm	
Assay	99,0 - 103,0 %	100,94	%	

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL lab,CBMiA

Release:
Agnieszka Pszczółka
Qualified Person

25-04-2023

Expiration: 21-01-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl Fagron Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:biuro@fagron.pl

fagron.pl Fagron sp. z o.o.
ul. Pasternik 26, 31-354 Kraków, Poland
tel.: +48 12 3343 512
e-mail: biuro@fagron.pl