

## Certificate of Analysis

**Product name:** **Chlorzoxazonum**

**Batch number / Weight:** **22D25-B09-222950 / 100 G**

**Analysed according to:** **USP**

**Number of analysis / Inspection Code** **22D25-B09 / INS-22-4661**

**Reference Code / No.:** **V01483 / C10-22021**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, crystalline powder	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Melting point	189 - 194	191,7	°C	
Loss on drying	<=0,5	0,06	%	
Residue on ignition	<=0,15	0,00	%	
Related substances	Conform	Conform		
Any spot	<=0,5	Conform	%	
Any spot	<=0,25	Conform	%	
Chlorine	20,6 - 21,2	20,7	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Chlorzoxazone	98,0 - 102,0	99,8	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer
Residual solvents				
Ethanol		281	ppm	

fagron.pl

Fagron Sp. z o.o.  
ul. Armii Krajowej 3  
32-540 Trzebinia, Poland  
e-mail: biuro@fagron.pl

fagron.pl

Fagron sp. z o.o.  
ul. Pasternik 26, 31-354 Kraków, Poland  
tel.: +48 12 3343 512  
e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Own lab

Release:  
Dominika Soltysik  
Qualified Person

19-09-2022

Expiration: 20-03-2027

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.