

Certificate of Analysis

Product name: Vit. A acetat 500B dry
Batch number / Weight: 23L05-B05-234138 / 25 G
Analysed according to: Ph.Eur. 01/2017:0001
Number of analysis / Inspection Code 23L05-B05 / INS-24-0875
Reference Code / No.: V01784 / 0027108357

Tests	Requirement	Result	Unit	Standard remark
Appearance	yellowish powder usually in the form particles of almost uniform size	Conform		
Identification	Acc. to Ph.Eur	Conform		
Assay	95,0 -115,0 value stated on label	105,80	%	
Assay	NLT 250 000	529023	IU/g	
Metallic residues	CHMP/ICH/353369/2013	Conform		
Residual solvents	CPMP/ICH/82 260/06	Conform		
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL, EI Spol

Release:
Dominika Sołtysik
Qualified Person

27-02-2024

Expiration: 02-04-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Services Northern Europe Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail: fsne@fagron.pl

fagron.pl

Fagron sp. z o.o.
ul. Pasternik 26, 31-354 Kraków, Poland
tel.: +48 12 3343 512
e-mail: biuro@fagron.pl