

Certificate of Analysis

Product name: **Acidum ascorbicum pulv.**

Batch number / Weight: **23G26-B05-230910 / 250 G**

Analysed according to: **Ph.Eur.11.2**

Number of analysis / Inspection Code **23G26-B05 / INS-23-6580**

Reference Code / No.: **V01336 / 220133069**

Tests	Requirement	Result	Unit	Standard remark
Appearance	White, crystalline powder crystals, becoming discoloured on exposure to air and moisture	Conform		
Identification B	Conform	Conform		
Identification C	2,1 - 2,6	2,34		
Appearance of solution	Clear / <=BY7	Conform		
Specific optical rotation	+20,5 - +21,5	+20,9		
Impurity E	<=0,2	<0,2		
Related substances	Conform	Conform		
Impurity C	<=0,15	0,088	%	
Impurity D	<=0,15	0,000	%	
Unspecified impurities	<=0,10	<0,05	%	
Total impurities other than C and	<=0,2	0,00	%	
Copper	<= 5	<1	ppm	
Iron	<=2,0	<1	ppm	
Sulphated ash	<= 0,1	0,02	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Ascorbic acid	99,0 - 100,5	99,74	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer
Total aerobic microbial count (TA		<1	CFU/g	
Total yeasts and moulds (TYMC)		<1	CFU/g	

fagron.pl

Fagron Services Northern Europe Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail: fsne@fagron.pl

fagron.pl

Fagron sp. z o.o.
ul. Pasternik 26, 31-354 Kraków, Poland
tel.: +48 12 3343 512
e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL, EI Spol, CBMiA

Release:
Dominika Soltysik
Qualified Person

30-10-2023

Expiration: 30-09-2024

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Services Northern Europe Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:fsne@fagron.pl