

## Certificate of Analysis

**Product name:** **Diosminum**  
**Batch number / Weight:** **23G05-B02-227827 / 250 G**  
**Analysed according to:** **Ph.Eur.11**  
**Number of analysis / Inspection Code** **23G05-B02 / INS-23-6413**  
**Reference Code / No.:** **V02268 / DDC1423**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Greyish-)yellow to light yellow	Conform		
Apparent volume	About 0,4	0,51	g/ml	
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Iodine	<=0,1	<0,1	%	
Related substances	Conform	Conform		
Impurity A	<=0,5	<0,10	%	
Impurity B	<=4,0	0,20	%	
Impurity C	<=3,0	1,36	%	
Impurity D	<=0,6	0,07	%	
Impurity E	<=3,0	2,57	%	
Impurity F	<=2,0	0,67	%	
Unspecified impurities	<=0,4	0,26	%	
Total impurities	<=8,5	5,53	%	
Water (Karl Fischer)	<=6,0	3,35	%	
Sulphated ash	<=0,2	0,08	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		
Residual solvents	CPMP/ICH/82 260/06	Conform		
Assay Diosmin	90,0 - 102,0	92,09	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		

fagron.pl

Fagron Services Northern Europe Sp. z o.o.  
 ul. Armii Krajowej 3  
 32-540 Trzebinia, Poland  
 e-mail: fsne@fagron.pl

fagron.pl

Fagron sp. z o.o.  
 ul. Pasternik 26, 31-354 Kraków, Poland  
 tel.: +48 12 3343 512  
 e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL lab

Release:

Ewelina Gadzinowska

Qualified Person

13-09-2023

Expiration: 18-03-2027

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Services Northern Europe Sp. z o.o.  
ul. Armii Krajowej 3  
32-540 Trzebinia, Poland  
e-mail:fsne@fagron.pl