

Certificate of Analysis

Product name: **Oryzae amylum**
Batch number / Weight: **21F23-B07-218436 / 1 KG**
Analysed according to: **Ph. Eur.**

Tests	Requirement	Result	Unit	Standard remark
Appearance	Very fine, (almost) white powder which creaks when pressed between fingers	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Identification C	Conform	Conform		
pH	5,0 - 8,0	6,8		
Iron	<=10	Conform	ppm	
Foreign matter	Conform	Conform		
Loss on drying	<=15,0	8,6	%	
Sulphated ash	<=0,6	0,3	%	
Oxidising substances	<=20	Conform	ppm	
Sulphur dioxide	<=50	Conform	ppm	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Total aerobic microbial count (TA)	<=10 ³	Conform	CFU / g	
Total yeasts and moulds (TYMC)	<=10 ²	Conform	CFU / g	
E. coli	Negative / gram	Conform		
Salmonella	Negative / 10 gram	Conform		
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized lab.

Release:
 Agnieszka Pszczółka
 Qualified Person

26-04-2022

Expiration: 23-09-2024

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.