

Certificate of Analysis

Product name: **Methoxsalenum**
Batch number / Weight: **21J08-B13-217636 / 5 G**
Analysed according to: **USP-NF**

Tests	Requirement	Result	Unit	Standard remark
Appearance	White to cream needle-like crystals, fluffy	Conform		
IR-spectrum	Conform	Conform		
Identification B	Conform	Conform		
Water	$\leq 0,5$	0,04	%	
Residue on ignition	$\leq 0,1$	0,09	%	
Related substances	Conform	Conform		
Methoxalen Related Compound	$\leq 0,15$	0,00	%	
Methoxalen Related Compound	$\leq 0,15$	0,019	%	
Unspecified impurities		0,00	%	
Total impurities		0,02	%	
Assay Methoxsalen	98,0 - 102,0	100,98	%m/m	
Metallic residues	CHMP/ICH/353369/2013	Conform		
Residual solvents	CPMP/ICH/82 260/06	Conform		
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		

Analysis performed by the authorized lab.

Release:
Dominika Sołtysik
Qualified Person

28-02-2022

Expiration: 19-11-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.