

Certificate of Analysis

Productname: Midazolami hydrochloridum
Number of analysis/Inspection Code: 1 / KEUR-197516B
Batchnumber: 21B03-F50-384607
Reference code / No.: 1068 / 050108
Analysed according to: DAC2022/2+

Tests	Requirement	Result	Unit	Standard remark
Appearance	Almost white crystalline powder	Conform		
Identification B	Conform	Conform		IR-spectrum
Identification D	Conform	Conform		Chloride
Appearance of solution	Clear / <=Y6	Conform		1 g / 100 ml HCl 0.1M
pH	3,7 - 4,7	4,3		0.2%/V
Related substances	Conform	Conform		HPLC
Impurity B	<=0,2	n.d.	%	
Impurity A	<=0,1	n.d.	%	
Impurity G	<=0,1	n.d.	%	
Any other impurity	<=0,10	0,10	%	
Sum of impurities	<=0,3	0,1	%	
Impurity C	<=0,1	Conform	%	TLC
Loss on drying	<=0,5	0,1	%	105 °C
Sulphated ash	<= 0,1	0,0	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CHMP/ICH/82260/2006	Conform		Data producer
Assay Midazolam hydrochloride	98,5 - 101,5	99,5	%m/m	Dried
Endotoxins	<=0,25	Conform	EU/mg	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized laboratory Proxylabs+Microb..

Manufacturer / Country : Cambrex Profarmaco Milano Srl / IT
CEP :

Release:
 Anthony Amoureux
 Qualified Person

05/03/23

Expiration: 31-12-25

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, simply open the document you want to convert, click "print", select the "Broadgun pdfMachine printer" and that's it! Get yours now!