

## Certificate of Analysis

**Productname:** **Clobetasoli-17-propionas 1:10**  
**Number of analysis/Inspection Code:** 1 / KEUR-198223B  
**Batchnumber:** **23A18-F06-385129**  
**Reference code / No.:** 3828 / 23A18-F06  
**Analysed according to:** **INTERN**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white to light yellow fine powder	Conform		
Identification A	Conform	Conform		TLC
Identification B	Conform	Conform		
Identification C	Conform	Conform		
Identification D	Conform	Conform		HPLC
Loss on drying	<=15,0	9,2	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CHMP/ICH/82260/2006	Conform		Data producer
Assay Clobetasole-17-propionate	9,50 - 10,50	10,12	%m/m	
Total aerobic microbial count (TAMC)	<10 <sup>3</sup>	Conform	CFU / g	
Total yeasts and moulds (TYMC)	<10 <sup>2</sup>	Conform	CFU / g	
Ps. aeruginosa	Absent	Conform	/ g	
St. aureus	Absent	Conform	/ g	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized laboratory Eurofins.

**Manufacturer / Country** : Fagron Services BV / NL  
**CEP** :

Release:  
Anthony Amoureux  
Qualified Person

10/11/23

Expiration: 18-01-26

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

**pdfMachine**

**A pdf writer that produces quality PDF files with ease!**

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, simply open the document you want to convert, click "print", select the "Broadgun pdfMachine printer" and that's it! Get yours now!