

## **CERTIFICATE OF ANALYSIS**

Our Ref. : F21/2130-01

Our Sample Id. : 56249

**CONFORMA nv**  
**Zenderstraat 10**  
**BE - 9070 Destelbergen**  
**BELGIUM**

Product : Mucilago carbomeri anhydr.TMF

Lot number : 21J04/B17162

Customer product number : 0904-529

Customer reference : 21100032

Date of application : 06/10/2021

Date of reception : 07/10/2021

Date start of analysis : 07/10/2021

Date of end of analysis : 27/10/2021

Test Method : ANA-CON-028/3

Spec Reference : 0904-529 bulk

## **PERFORMED ANALYSIS AND RESULTS**

<b>Analysis</b>	<b>Specification</b>	<b>Result</b>
<b>Aspect</b>		
Aspect	Turbid colourless gel.	Complies
Odour	Smell of alcohol.	Complies
<b>Identifications</b>		
Identification B Propyleenglycol (Ph.Eur.2.2.27 TLC)	POSITIVE	POSITIVE
Identification C Ethanol (GC)	POSITIVE	POSITIVE
<b>Colour reactions</b>		
Identification A carbomerum with thymol blue	Orange colour.	POSITIVE
Identification A carbomerun with cresol red	Yellow colour.	POSITIVE
<b>Other tests</b>		
pH (Ph.Eur.2.2.3)	3,0 - 5,0	3.7
<b>Microbiology</b>		
TAMC (Ph.Eur.2.6.12)	NMT 10 <sup>2</sup> CFU/g	<5 CFU/g
TYMC (Ph.Eur.2.6.12)	NMT 10 CFU/g	<5 CFU/g
Exclusion S. aureus (Ph.Eur.2.6.13)	ABSENT	Absent
Exclusion P. aeruginosa (Ph.Eur.2.6.13)	ABSENT	Absent

**CONCLUSION :** The sample complies with the specifications of the performed analysis.

**CERTIFICATE OF ANALYSIS**

Our Ref. : F21/2130-01

Our Sample Id. : 56249

Issued By: Ingrid Van den Broeck

Office Manager/HR

Patsy Peeters

Industrial Pharmacist, QP

Date of Issue: 27/10/2021

This is an electronic signature