

## Certificate of Analysis

**Product name:** Chlorzoxazonum  
**Batch number / Weight:** 21F02-B04-213308 / 25 G  
**Analysed according to:** USP

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, crystalline powder	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Melting point	189 - 194	191	°C	
Loss on drying	<=0,5	0,09	%	
Residue on ignition	<=0,15	0,13	%	
Related substances	Conform	Conform		
Any spot	<=0,5	Conform	%	
Any spot	<=0,25	Conform	%	
Chlorine	20,6 - 21,2	21,0	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Chlorzoxazone	98,0 - 102,0	100,1	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized lab.

Release:  
Ewelina Gadzinowska  
Qualified Person

23-11-2021

Expiration: 01-12-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.