

Certificate of Analysis

Productname: Chlorzoxazonum
Number of analysis/Inspection Code: 1 / KEUR-181573B
Batchnumber: 20A14-F05-368199
Reference code / No.: 3863 / C10-19162
Analysed according to: USP 42

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, crystalline powder	Conform		
Identification A	Conform	Conform		IR-spectrum
Identification B	Conform	Conform		UV-spectrum
Melting point	189 - 194	191	°C	
Loss on drying	<=0,5	0,3	%	2 h 105 °C
Residue on ignition	<=0,15	0,15	%	
Related substances	Conform	Conform		TLC
Any spot	<=0,5	Conforme	%	First observation
Any spot	<=0,25	Conform	%	Second observation
Chlorine	20,6 - 21,2	21,2	%	Dried
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CHMP/ICH/82260/2006	Conform		Data producer
Assay Chlorzoxazone	98,0 - 102,0	99,6	%m/m	Dried
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized laboratory Quercus BE.

Release:
Wai Lung Chung
Pharmacist - Qualified Person

03/30/20

Expiration: 11-2024

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.