

## Certificate of Analysis

**Product name:** **Chlorzoxazonum**

**Batch number / Weight:** **21I08-B04-216759 / 100 G**

**Analysed according to:** **USP**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, crystalline powder	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Melting point	189 - 194	190	°C	
Loss on drying	<=0,5	0,05	%	
Residue on ignition	<=0,15	0,06	%	
Related substances	Conform	Conform		
Any spot	<=0,5	Conform	%	
Any spot	<=0,25	Conform	%	
Chlorine	20,6 - 21,2	20,6	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Chlorzoxazone	98,0 - 102,0	99,6	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized lab.

Release:  
Ewelina Gadzinowska  
Qualified Person

28-01-2022

Expiration: 16-08-2026

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.