

Certificate of Analysis

Product name: Chlorzoxazonum
Batch number / Weight: 23G12-B04-234530 / 100 G
Analysed according to: USP
Number of analysis / Inspection Code 23G12-B04 / INS-23-6240
Reference Code / No.: V01483 / C10-23021

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, crystalline powder	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Melting point	189 - 194	192,7	°C	
Loss on drying	<=0,5	0,07	%	
Residue on ignition	<=0,15	0,00	%	
Related substances	Conform	Conform		
TLC - 1st detection	<=0,5	Conform	%	
TLC - 2nd detection	<=0,25	Conform	%	
Chlorine content (dried basis)	20,6 - 21,2	21,1	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Chlorzoxazone	98,0 - 102,0	100,0	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

fagron.pl

Fagron Services Northern Europe Sp. z o.o.
 ul. Armii Krajowej 3
 32-540 Trzebinia, Poland
 e-mail: fsne@fagron.pl

fagron.pl

Fagron sp. z o.o.
 ul. Pasternik 26, 31-354 Kraków, Poland
 tel.: +48 12 3343 512
 e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL, EI Spol

Release:
Dominika Soltysik
Qualified Person

18-01-2024

Expiration: 07-04-2028

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Services Northern Europe Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:fsne@fagron.pl