



Certificate of Analysis

Productname: Acidum lacticum (racemicum)

Inspection No: J03657/0722/536
Batchnumber: 21K16-T10-096070
Expiration date: 31.07.2026
Analysed according to: ČL 2017, Ph.Eur.10.0
Original Manuf. Date: 14.7.2021

Sample Unit: 1 x 25 ml
Batch Size: 464 x 50 ml

Identification of producer: V01709
Batch no. of vendor: L9010714

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Colourless or slightly yellow, syrupy liquid.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	Conform	Conform		Strongly acid solution	Fagron CZ
Identification B	1,20 - 1,21	1,21		Relative density	Fagron CZ
Identification C	Conform	Conform		Lactates	Fagron CZ
TESTS					
Appearance	<= Y6	Conform			Fagron CZ
Ether-insoluble substances	Conform	Conform			Fagron CZ
Sugars and other reducing substances	Conform	Conform			Fagron CZ
Citric, oxalic and phosphoric acid	Conform	Conform			Fagron CZ
Sulfates	<=200	<200	µg/g		Fagron CZ
Calcium	<=200	<200	µg/g		Fagron CZ
Sulfated ash	<=0,1	0,0	%		Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	<10	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	<10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer
ASSAY					
Lactic acid	88,0 - 92,0	91,3	%		Fagron CZ
Food quality					

Name	Fagron a.s. (CZ)	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
	Kontrolní laboratoř č. 536	Post Code	779 00	Fax No.	+420 585 226 521

Performed by: Ing. Petra Drábková

Responsible: Ing. Pavel Mišák, QC
MVDr. Zdenka Borská, QP

Date: 28.04.2022

Conclusion: **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.