



Certificate of Analysis

Productname: **FORMALDEHYDE SOLUTION 35%**

Inspection No: J00261/0122/536
Batchnumber: **21L10-T03-091814**
Expiration date: 25.11.2023
Analysed according to: ČL 2017, Ph.Eur.10.0
Original Manuf. Date: 25.11.2021

Sample Unit: 1 x 10 ml
Batch Size: 167 x 1 l

Identification of producer: V01009
Batch no. of vendor: 2132905810

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Clear, colourless liquid.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
Density	Conform	1,088	g/cm3		Fagron CZ
IDENTIFICATION					
Identification A	Violet	Conform			Fagron CZ
Identification B	Red	Conform			Fagron CZ
Identification C	Grey precipitate, silver mirror	Conform			Fagron CZ
Identification D	34,5 - 38,0	35,5	%	Assay	Fagron CZ
TESTS					
Appearance of solution	Colourless	Conform			Fagron CZ
Acidity	<=0,4	0,1	ml		Fagron CZ
Methanol	9,0 - 15,0	10,9	%(V/V)		Contract Lab
Sulfated ash	<=0,1	0,0	%		Fagron CZ
ASSAY					
Formaldehyde	34,5 - 38,0	35,5	%		Fagron CZ

Quality: Excipient

Performed by: Ludmila Stochlebová

Responsible: Ing. Pavel Mišák, QC
 MVDr. Zdenka Borská, QA

Date: 02.02.2022

Conclusion: **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.