



Certificate of Analysis

Productname: ACETONE

Inspection No: I00336/0221/536
 Batchnumber: 20J22-T01-083599
 Expiration date: 14.08.2023
 Analysed according to: ČL 2017-Dopl.2019,Ph.Eur.10.0
 Original Manuf. Date: 14.8.2020

Sample Unit: 1 x 25 ml
 Batch Size: 1 693 x 100 ml

Identification of producer: V00327
 Batch no. of vendor: PP/2020/10129

| | Requirement | Result | Unit | Standard remark | Insp. Site |
|---------------------------|-----------------------------------|---------|---------|-----------------------|---------------|
| CHARACTERS | | | | | |
| Appearance | Volatile,clear,colourless liquid. | Conform | | | Fagron CZ |
| Solubility | Conform | Conform | | | Fagron CZ |
| IDENTIFICATION | | | | | |
| Identification A | 0,790 - 0,793 | 0,791 | | Relative density | Fagron CZ |
| Identification B | Conform | Conform | | Defined discoloration | Fagron CZ |
| Identification C | Conform | Conform | | Defined discoloration | Fagron CZ |
| TESTS | | | | | |
| Appearance of solution | Clear, colourless | Conform | | 50% V/V | Fagron CZ |
| Acidity or alkalinity | <=0,5 | Conform | % | | Fagron CZ |
| Relative density | 0,790 - 0,793 | 0,791 | | | Fagron CZ |
| Reducing substances | Conform | Conform | | | Fagron CZ |
| Related substances | Conform | Conform | | GC | Contract Lab |
| Impurity A | <=0,05 | <0,05 | % (V/V) | | Contract Lab |
| Impurity B | <=0,05 | <0,05 | % (V/V) | | Contract Lab |
| Impurity C | <=2 | <2 | µl/l | | Contract Lab |
| Any other impurity | <=0,05 | <0,05 | % (V/V) | | Contract Lab |
| Matter insoluble in water | Conform | Conform | | | Fagron CZ |
| Residue on evaporation | <=50 | 0,0 | µg/g | | Fagron CZ |
| Water | <=3 | 2 | g/l | | Fagron CZ |
| Metallic residues | ICH Q3D on elemental impurities | Conform | | | Data Producer |

Performed by: Lucie Kubáňová DiS.

Responsible: Ing. Mgr. Kateřina Jokešová, QC
 PharmDr. Ivana Urbánková, QA

Date: 16.02.2021

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.