

Certificate of Analysis

Productname: Adeps lanae

Inspection No: I07947/1121/536

Batchnumber: 21I03-T09-090760

Expiration date: 31.07.2023

Analysed according to: ČL 2017-Dopl.2020,Ph.Eur.10.0

Original Manuf. Date: 31.7.2021

Sample Unit: 1 x 5 g

Batch Size: 83 x 1 kg

Identification of producer: V00328

Batch no. of vendor: L05006/2

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Yellow, unctuous substance. When melted, it is a clear or almost clear, yellow liquid. A solution in light petroleum is opalescent.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	Green	Conform			Fagron CZ
Identification B	Red / strong green fluorescence	Conform			Fagron CZ
TESTS					
Water-soluble acid or alk. substances	Conform	Conform			Fagron CZ
Water-absorption capacity	>= 20	35	ml		Fagron CZ
Acid value	<=1,0	0,64			Fagron CZ
Peroxide value	<=20	3,3			Fagron CZ
Saponification value	90 - 105	98			Fagron CZ
Water-soluble oxidisable substances	Conform	Conform			Fagron CZ
Paraffins	<=1,0	0,35	%		Fagron CZ
Pesticide residues	Conform	Conform			Contract Lab
Chlorides	<=150	<150	µg/g		Fagron CZ
Loss on drying	<=0,5	0,1	%	105 °C	Fagron CZ
Sulfated ash	<=0,15	0,0	%		Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	<10	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	<10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer
Drop point	38 - 44	43	°C		Fagron CZ

BHT 146,370 µg/g

Name	Fagron a.s. (CZ)	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
	Kontrolní laboratoř č. 536	Post Code	779 00	Fax No.	+420 585 226 521

Performed by: Lucie Kubáňová DiS.
Responsible: Ing. Pavel Mišák, QC
MVDr. Zdenka Borská, QA
Date: 15.11.2021
Conclusion: **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.

Name	Fagron a.s. (CZ) Kontrolní laboratoř č. 536	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
		Post Code	779 00	Fax No.	+420 585 226 521