



## Certificate of Analysis

**Productname:** Cineolum (Eucalyptolum)

**Inspection No:** J02434/0322/536  
**Batchnumber:** 22A27-T02-093459  
**Expiration date:** 13.09.2023  
**Analysed according to:** ČL 2017, Ph.Eur.10.0  
**Original Manuf. Date:** 13.9.2021

**Sample Unit:** 1 x 10 ml  
**Batch Size:** 23 x 100 ml

**Identification of producer:** V01586  
**Batch no. of vendor:** 000029

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Clear colourless liquid.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	1,456 - 1,460	1,457		Refractive index	Fagron CZ
Identification B	Conform	Conform		TLC	Fagron CZ
Identification C	Conform	Conform		Defined discoloration	Fagron CZ
Appearance of solution	Clear and colourless	Conform			Fagron CZ
Chiral impurities	-0,10 - +0,10	-0,05	°		Fagron CZ
Refractive index	1,456 - 1,460	1,457			Fagron CZ
Related substances	Conform	Conform		GC	Contract Lab
Total impurities	<=2	<2	%		Contract Lab
Residue on evaporation	<=0,1	0,0	%	100-105°C	Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 <sup>3</sup>	<10	CFU/g		Contract Lab
TYMC	<=2 x 10 <sup>2</sup>	<10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer

Quality: Excipient

**Performed by:** Pavla Šlázarová

**Responsible:** Ing. Pavel Mišák, QC  
 MVDr. Zdenka Borská, QA

**Date:** 24.03.2022

**Conclusion:** APPROVED

This document has been produced electronically from our quality system and is valid without signature.

<b>Name</b>	Fagron a.s. (CZ)	<b>Address</b>	Holická 1098/31m, Olomouc	<b>Phone No.</b>	+420585222590
	Kontrolní laboratoř č. 536	<b>Post Code</b>	779 00	<b>Fax No.</b>	+420 585 226 521