



Certificate of Analysis

Productname: **Menthae piperitae etheroleum**

Inspection No: J08232/1022/536

Batchnumber: **22H09-T06-098693**

Expiration date: 31.07.2025

Analysed according to: ČL 2017-Dopl.2019, Ph.Eur. 10.0

Original Manuf. Date: 1.8.2022

Sample Unit: 1 x 5 ml

Batch Size: 27 x 10 ml

Identification of producer: V00201

Batch no. of vendor: 1322192

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Colourless, pale yellow or pale greenish-yellow liquid. with characteristic odour.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification B	Conform	Conform		Chromatographic profile, GC	Contract Lab
TESTS					
Relative density	0,900 - 0,916	0,900			Fagron CZ
Refractive index	1,457 - 1,467	1,461			Fagron CZ
Optical rotation	-30 - -10	-25	°		Fagron CZ
Acid value	<=1,4	0,51			Fagron CZ
Fatty oils and resinified essential oils	Conform	Conform			Fagron CZ
Mint oil	Conform	Conform			Contract Lab
Chromatographic profile	Conform	Conform		GC	Contract Lab
Limonene	1,0 - 3,5	2,2	%		Contract Lab
1,8-Cineole	3,5 - 8,0	4,4	%		Contract Lab
Menthone	14,0 - 32,0	28,5	%		Contract Lab
Menthofuran	1,0 - 8,0	2,9	%		Contract Lab
Isomenthone	1,5 - 10,0	4,7	%		Contract Lab
Menthyl acetate	2,8 - 10,0	4,3	%		Contract Lab
Isopulegol	<=0,2	<0,05	%		Contract Lab
Menthol	30,0 - 55,0	37,8	%		Contract Lab
Pulegone	<=3,0	1,0	%		Contract Lab
Carvone	<=1,0	0,2	%		Contract Lab
Ratio of 1,8- cineole content to limonen	>=2	2			Contract Lab
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 103	< 10	CFU/g		Contract Lab
TYMC	<=2 x 102	< 10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer

Quality: Excipient

Name	Fagron a.s. (CZ)	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
	Kontrolní laboratoř č. 536	Post Code	779 00	Fax No.	+420 585 226 521

Performed by: Pavla Šlězarová

Responsible: Ing. Pavel Mišák, QC
MVDr. Zdenka Borská, QP

Date: 14.09.2022

Conclusion: **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.