

CERTIFICATE OF ANALYSIS

Our Ref. : F21/0431-01

Our Sample Id. : 49973

**CONFORMA nv
Zenderstraat 10
BE - 9070 Destelbergen
BELGIUM**

Product : Ethanolum 96% met EU-Denaturant

Lot number : 21B17/R01837

Customer product number : 0905-727

Customer reference : 21020153

Date of application : 19/02/2021

Date of reception : 22/02/2021

Date start of analysis : 15/03/2021

Date of end of analysis : 19/03/2021

Test Method : ANA-CON-054/4 (04/06/2020) 0905-727

Spec Reference : Customer

PERFORMED ANALYSIS AND RESULTS

Analysis	Specification	Result
Aspect		
Appearance	Heldere, kleurloze vluchtige en ontvlambare vloeistof.	Complies
Appearance of solution	De oplossing is helder en kleurloos in vergelijking met water.	Complies
Identifications		
Identification Ethanol (GC)	POSITIVE	POSITIVE
Identification Isopropanol (GC)	POSITIVE	POSITIVE
Identification Methylethylketon (GC)	POSITIVE	POSITIVE
Identification Denatonium benzoate (HPLC)	POSITIVE	POSITIVE
Other tests		
Isopropanol (GC)	+/- 1%	1.1 %
Methylethylketon (GC)	+/- 1%	1.1 %
Assays		
Assay Denatonium benzoate (HPLC)	+/- 1g/100L	1.6 g/ 100L
Assay Ethanol (GC)	92,6 - 97,4 % v/v	93.4 % v/v

CONCLUSION : The sample complies with the specifications of the performed analysis.

CERTIFICATE OF ANALYSIS

Our Ref. : F21/0431-01

Our Sample Id. : 49973

Issued By: Ingrid Van den Broeck

Office Manager/HR

Patsy Peeters

Industrial Pharmacist, QP

Date of Issue: 19/03/2021

This is an electronic signature