

Certificate of Analysis

Product name: **Alc. cetylicus et stearylicus**
Batch number / Weight: **21I16-B01-213782 / 250 G**
Analysed according to: **Ph. Eur.**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, waxy granules or flakes	Conform		
Identification GC	Conform	Conform		
Appearance of solution	Clear / colour <=B6	Conform		
Melting point	49 - 56	51,8	°C	
Acid value	<=1,0	0,03		
Hydroxyl value	208 - 228	220,1		
Iodine value	<=2,0	0,14		
Saponification value	<=2,0	0,10		
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Stearyl alcohol	>= 40,0	48,45	%m/m	
Cetyl alcohol and stearyl alcohol	>= 90,0	99,62	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized lab.

Release:
Agnieszka Pszczółka
Qualified Person

11-01-2022

Expiration: 31-12-2023

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.