

Certificate of Analysis

Product name: **Sorbitolum apyrogen**
Batch number / Weight: **22J22-B02-224345 / 1 KG**
Analysed according to: **Ph. Eur. 10**
Number of analysis / Inspection Code **22J22-B02 / INS-22-9282**
Reference Code / No.: **V01176 / E261L**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(almost) white, crystalline powder	Conform		
Identification A	Conform	Conform		
Appearance of solution	Clear / colourless	Conform		
Conductivity	≤ 20	2,4	$\mu\text{S} / \text{cm}$	
Reducing sugars	$\leq 0,2$	$< 0,2$	%	
Related substance	Conform	Conform		
Any impurity	$\leq 2,0$	0,69		
Total impurities	$\leq 3,0$	1,26	%	
Water (Karl Fischer)	$\leq 1,5$	0,30	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay	97,0 - 102,0	99,04	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer
Total yeasts and moulds (TYMC)	$\leq 10^2$	< 1	CFU/g	
Total aerobic microbial count (TA)	$\leq 10^3$	< 1	CFU/g	
Escherichia coli	Absence in 1g	Conform		
Salmonella	Negative / 10 gram	Conform		
Endotoxins	$< 2,5$	$< 2,5$	IU/g	

fagron.pl

Fagron Sp. z o.o.
 ul. Armii Krajowej 3
 32-540 Trzebinia, Poland
 e-mail: biuro@fagron.pl

fagron.pl

Fagron sp. z o.o.
 ul. Pasternik 26, 31-354 Kraków, Poland
 tel.: +48 12 3343 512
 e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL, EI Spol, CBMiA

Release:

Ewelina Gadzinowska

Qualified Person

12-12-2022

Expiration: 29-04-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:biuro@fagron.pl