

Certificate of Analysis

Product name: **Nystatinum**
Batch number / Weight: **21C01-B01-215322 / 25 G**
Analysed according to: **Ph. Eur.**

Tests	Requirement	Result	Unit	Standard remark
Appearance	Yellow or slightly brown powder	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Identification C	Conform	Conform		
Identification D	Conform	Conform		
Identification E	Conform	Conform	%	
Specific absorbance	$\geq 0,60$	0,781		
Composition	Conform	Conform		
Nystatin A1	$\geq 85,0$	92,29	% m/m	
Any other compound	$\leq 4,0$	2,76	%	
Loss on drying	$\leq 5,0$	1,38	%	
Sulphated ash	$\leq 3,5$	0,79	%	
Assay	≥ 4400	6240	IU/mg	
	≥ 4400 (as is)	6154	IU/mg	
Metallic residues	CHMP/ICH/353369/2013	Conform		
Residual solvents	CPMP/ICH/82 260/06	Conform		
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		

Analysis performed by the authorized lab.

Release:
 Ewelina Gadzinowska
 Qualified Person

11-08-2021

Expiration: 29-02-2024

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.