

## Certificate of Analysis

**Product name:** Cera alba  
**Batch number / Weight:** 23C31-B09-228566 / 250 G  
**Analysed according to:** Ph.Eur.11  
**Number of analysis / Inspection Code** 23C31-B09 / INS-23-3243  
**Reference Code / No.:** V01202 / 22-0579

Tests	Requirement	Result	Unit	Standard remark
Appearance	white or yellowish-white pieces or plates, translucent when thin	Conform		
Appearance	with a fine-grained, matt and non-crystalline fracture			
Appearance	matt and non-crystalline fracture, when warmed It has an odour similar to that of yellow beeswax,			
Appearance	though fainter and never rancid. It is tasteless and does not stick to the teeth.			
Odour	Like yellow wax, only faint, never rancid	Conform		
Drop point	61 - 66	62,5	°C	
Acid value	17,0 - 24,0	18,69		
Estervalue	70 - 80	79,1		
Saponification value	87 - 104	97,8		
Ceresine, paraffine and other wa	Conform	Conform		
Glycerol and other polyols	<=0,5	<0,5	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer
Density	about 0,960	0,9567		

fagron.pl      Fagron Sp. z o.o.  
 ul. Armii Krajowej 3  
 32-540 Trzebinia, Poland  
 e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL lab,CBMiA

Release:

Agnieszka Pszczółka

Qualified Person

19-05-2023

Expiration: 13-12-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Sp. z o.o.  
ul. Armii Krajowej 3  
32-540 Trzebinia, Poland  
e-mail:biuro@fagron.pl