

Certificate of Analysis

Product name: **Chlortalidonum**
Batch number / Weight: **21G13-B16-213520 / 10 G**
Analysed according to: **Ph. Eur.**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Yellow-)white powder	Conform		
Identification A	Conform	Conform		
Acidity	<=0,75 ml NaOH 0.1M	0,15 ml		
Related substances	Conform	Conform		
Impurity B	<=0,7	<0,05	%	
Impurity G	<=0,2	<0,05	%	
Unspecified impurities	<=0,10	<0,05	%	
Total impurities	<=1,2	<0,05	%	
Chlorides	<=350	<350	ppm	
Loss on drying	<=0,5	0,05	%	
Sulphated ash	<=0,1	0,03	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Chlortalidone	97,0 - 102,0	100,5	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized lab.

Release:
 Ewelina Gadzinowska
 Qualified Person

22-11-2021

Expiration: 31-08-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.