

Certificate of Analysis

Product name: **Cellulosum microcristall. 102**

Batch number / Weight: **22K19-B10-221882 / 1 KG**

Analysed according to: **Ph.Eur.11**

Number of analysis / Inspection Code **22K19-B10 / INS-23-0193**

Reference Code / No.: **V01759 / 225000148**

Tests	Requirement	Result	Unit	Standard remark
Appearance	Fine, (almost) white powder slightly hygroscopic powder	Conform		
Particle size	>92% <250 µm	98,0		
Particle size	>45% >75 µm	49,6		
Apparent volume	280-330	317,1	g/l	
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Identification C	Conform	Conform		
pH	5,0 - 7,5	6,25		
Conductivity	<=75	53,0	µS / cm	
Ether-soluble substances	<=0,05	0,006	%	
Water-soluble substances	<=0,25	0,099	%	
Loss on drying	<=7,0	3,61	%	
Sulphated ash	<=0,1	0,09	%	
Total aerobic microbial count (TA)	<=1000	<10	CFU / g	
Total yeasts and moulds (TYMC)	<=100	<10	CFU/g	
E. coli	Negative / gram	Conform		
Ps. aeruginosa	Negative / gram	Conform		
S. aureus	Negative / gram	Conform		
Salmonella	Negative / 10 gram	Conform		
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

fagron.pl

Fagron Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:biuro@fagron.pl

fagron.pl

Fagron sp. z o.o.
ul. Pasternik 26, 31-354 Kraków, Poland
tel.: +48 12 3343 512
e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab FAPL/Eurofins/CBM

Release:

Agnieszka Pszczółka

Qualified Person

26-01-2023

Expiration: 06-02-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:biuro@fagron.pl