

Certificate of Analysis

Productname: Chlordiazepoxidum
Number of analysis/Inspection Code: 1 / KEUR-183678B
Batchnumber: 20D30-F02-371221
Reference code / No.: 4069 / 1908202P
Analysed according to: PH.EUR10.1

Tests	Requirement	Result	Unit	Standard remark
Appearance	Almost white or light yellow, crystalline powder	Conform Conform		
Identification	Conform	Conform		IR-spectrum
Related substances	Conform	Conform		HPLC
Impurity A	<=0,2	<0,05	%	
Impurity B	<=0,2	<0,05	%	
Impurity C	<=0,2	<0,05	%	
Unspecified impurities	<=0,10	<0,05	%	
Total impurities	<=0,5	<0,05	%	
Loss on drying	<= 0,5	0,2	%	105 °C
Sulphated ash	<= 0,1	<0,1	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CHMP/ICH/82260/2006	Conform		
Assay Chlorodiazepoxide	99,0 - 101,0	100,1	%m/m	Dried
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized laboratory Proxylabs.

Release:
Wai Lung Chung
Pharmacist - Qualified Person

06/24/20

Expiration: 01-2024

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.