

Certificate of Analysis

Product name: **Methioninum apyrogen**
Batch number / Weight: **21I20-B19-215625 / 100 G**
Analysed according to: **Ph. Eur.**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, crystalline powder / crystals	Conform		
Identification A	+22,5 - +24,0	Conform		
Identification B	Conform	Conform		
Appearance of solution	Clear / colourless	Conform		
pH	5,5 - 6,5	5,71		
Specific optical rotation	+22,5 - +24,0	+22,8		
Related substances	Conform	Conform		
Unspecified impurities	<=0,10	<0,05	%	
Total impurities	<=0,3	0,00	%	
Chlorides	<=200	<200	ppm	
Sulphates	<=300	<300	ppm	
Ammonium	<=200	Conform	ppm	
Iron	<=10	Conform	ppm	
Loss on drying	<=0,5	0,03	%	
Sulphated ash	<=0,1	0,04	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay	99,0 - 101,0	99,74	%m/m	
Endotoxins	<=6	<6	IU / g	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized lab.

Release:

Agnieszka Pszczółka

Qualified Person

23-02-2022

Expiration: 07-01-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.