

Certificate of Analysis

Product name: Magnesii chloridum hexahydricum

Batch number: 20F09-B07-201441

Base unit: 250g

Expiration date: 27.05.2023

Quality: Ph.Eur.

Manufacturing date: 10.07.2020

Inspection report no.: INS-20-02787

IIN: 100676-114-91

Description	Claim	Result	Unit	Laboratory
Appearance	Colourless crystals, hygroscopic	conform		
Identification A	51,0 - 55,0%	conform	%	
Identification B	acc. to Ph. Eur.	conform		
Identification C	acc. to Ph. Eur.	conform		
Appearance of solution	acc. to Ph. Eur.	conform		
Acidity or alkalinity	acc. to Ph. Eur.	conform		
Bromides	max. 500ppm	<500	ppm	
Sulfates	max. 100ppm	<100	ppm	
Arsenic	max. 2ppm	<2	ppm	
Calcium	max. 0,1%	<0,1	%	
Iron	max. 10ppm	<10	ppm	
Water	51,0-55,0%	54,26	%	
Assay	98,0 – 101,0%	100,28	%	
Elemental impurities	CHMP/ICH/353369/2013	conform		data producer
Residual solvents	CPMP/ICH/82 260/06	conform		data producer
TSE/BSE-statement	No contamination with TSE/BSE-risk materials	conform		data producer

Analysis performed by the laboratory: Fagron Poland

Release:

Dominika Sołtysik

Qualified Person



Fagron sp. z o.o.

Dominika Sołtysik

osoba wykwalifikowana
qualified person

Date of releasing: 10.08.2020

Conclusion: Approved