

Certificate of Analysis

Product name: **Aciclovirum**
Batch number / Weight: **21C17-B06-222264 / 10 G**
Analysed according to: **Ph. Eur. 10.8**
Number of analysis / Inspection Code **21C17-B06 / INS-21-2973**
Reference Code / No.: **V01478 / ACV1019015**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Almost) white, crystalline powder	Conform		
IR-spectrum	Conform	Conform		
Appearance of solution	Clear <=Y7	Conform		
Related substances	Conform	Conform		
Impurity B	<=0,7	0,08	%	
Sum of impurities O + Q	<=0,15	0,04	%	
Sum of impurities K + R	<=0,15	<0,03	%	
Impurity J	<=0,2	<0,03	%	
Impurity N	<=0,15	<0,03	%	
Impurity P	<=0,15	<0,03	%	
Impurity C	<=0,15	0,00	%	
Unspecified impurities	<=0,05	<0,03	%	
Total impurities	<=1,0	0,11	%	
Water (Karl Fischer)	<=6,0	5,12	%	
Sulphated ash	<=0,1	0,03	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
Assay Aciclovir	98,5 - 101,0	100,41	%m/m	
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer
Endotoxins		<0,50		

fagron.pl

Fagron Sp. z o.o.
 ul. Armii Krajowej 3
 32-540 Trzebinia, Poland
 e-mail: biuro@fagron.pl

fagron.pl

Fagron sp. z o.o.
 ul. Pasternik 26, 31-354 Kraków, Poland
 tel.: +48 12 3343 512
 e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab

Release:

Ewelina Gadzinowska

Qualified Person

23-08-2022

Expiration: 19-11-2024

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.