

Certificate of Analysis

Productname: Butalbitalum

Number of analysis/Inspection Code: 1 / KEUR-193589B

Batchnumber: 18J17-B01-379949

Reference code / No.: 2711 / 1828X004

Analysed according to: USP 41

| Tests | Requirement | Result | Unit | Standard remark |
|-------------------------------------|--|---------|------|-----------------|
| | | | | |
| Appearance | White, crystalline powder | Conform | | |
| Identification A | Conform | Conform | | IR-spectrum |
| Identification B | Conform | Conform | | Assay |
| Related substances | Conform | Conform | % | HPLC |
| Any individual unspecified impurity | <=0,10 | 0,07 | % | |
| Total impurities | <=1 | 0,2 | % | |
| Loss on drying | <=0,2 | <0,1 | % | In vacuo |
| Sulphated ash | <=0,1 | <0,1 | % | |
| Residual solvents | CHMP/ICH/82260/2006 | Conform | | Data producer |
| Metallic residues | CHMP/ICH/353369/2013 | Conform | | Data producer |
| Assay Butalbital | 98,0 - 102,0 | 99,9 | %m/m | Dried |
| TSE/BSE-statement: | No contamination with TSE/BSE-risk materials | Conform | | Data producer |
| | | | | |

Analysis performed by the authorized laboratory Proxylabs.

Release:

Anthony Amoureus Qualified Person

02/07/22

Expiration: 08-2023

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.