

Certificate of Analysis

Productname: Rosae aetheroleum artificiale

Inspection No: L01926/0424/536
Batchnumber: 23H09-T02-110216
Expiration date: 26.07.2026
Analysed according to: Interní předpis, Internal
Original Manuf. Date: 27.7.2023

Sample Unit: 1 x 1 ml
Batch Size: 15 x 25 ml

Identification of producer: V00201
Batch no. of vendor: 1358497

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Light yellow liquid with characteristic odour.	Conform			Contract Lab
IDENTIFICATION					
Identification	Conform	Conform		TLC	Contract Lab
TESTS					
Refractive Index	1,500 - 1,530	1,517		30 °C	Contract Lab
Relative density	0,975 - 1,075	0,986			Contract Lab
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 ³	<10	CFU/g		Contract Lab
TYMC	<=2 x 10 ²	<10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	ICH Q3C	Conform			Data Producer
Metallic residues	ICH Q3D	Conform			Data Producer

Quality: Excipient

Performed by: Ekocentrum

Responsible: Mgr. Zdeňka Šinclová, QC
 MVDr. Zdenka Borská, QA/ QP

Date: 22.03.2024

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.