



## Certificate of Analysis

**Productname:** Vaselinum flavum

**Inspection No:** L01749/0424/536  
**Batchnumber:** 24A22-T01-111591  
**Expiration date:** 31.12.2026  
**Analysed according to:** ČL 2023, Ph. Eur. 11.0  
**Original Manuf. Date:** 31.12.2023

**Sample Unit:** 1 x 20 g  
**Batch Size:** 36 x 1 kg

**Identification of producer:** V01479  
**Batch no. of vendor:** 1547081

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Yellowish or light amber, unctuous mass, slightly fluorescent in daylight even when melted, transparent in thin layers.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
IDENTIFICATION					
Identification A	35 - 70	57	° C	Drop point	Fagron CZ
Identification B	Conform	Conform		IR-spectrum	Fagron CZ
Identification D	Conform	Conform		Appearance	Fagron CZ
TESTS					
Appearance	Conform	Conform			Fagron CZ
Acidity or alkalinity	<=0,5	0,05	ml	0.01 M NaOH	Fagron CZ
Consistency	100 - 300	139			Contract Lab
UV abs. limit for poly.arom.hydrocarb.	<=75	<75	ppm		Fagron CZ
Sulfated ash	<=0,05	0,0	%		Fagron CZ
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 <sup>3</sup>	<10	CFU/g		Contract Lab
TYMC	<=2 x 10 <sup>2</sup>	<10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	ICH Q3C	Conform			Data Producer
Metallic residues	ICH Q3D	Conform			Data Producer

Quality: Excipient

<b>Name</b>	Fagron a.s. (CZ)	<b>Address</b>	Holická 1098/31m, Olomouc	<b>Phone No.</b>	+420585222590
	Kontrolní laboratoř č. 536	<b>Post Code</b>	779 00	<b>Fax No.</b>	+420 585 226 521

**Performed by:** QC Fagron a.s. (CZ)

**Responsible:** Mgr. Zdeňka Šinclová, QC  
Ing. Martina Zemanová,

**Date:** 19.03.2024

**Conclusion:** **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.