

Certificate of Analysis

Productname: Diflucortoloni valeras micron.

Number of analysis/Inspection Code: 1 / KEUR-187212B

Batchnumber: 20J01-F10-375009

Reference code / No.: 2073 / 2139VM0 C0022022

Analysed according to: BP2020+

| Tests | Requirement | Result | Unit | Standard remark |
|------------------------------|--|---------|------|----------------------|
| | | | | |
| Appearance | Fine, (almost) white powder | Conform | | |
| Particle size | 99% <20 μm / 95% <10 μm | Conform | | |
| Identification A | Conform | Conform | | UV-spectrum |
| Identification B | Conform | Conform | | IR-spectrum |
| Specific optical rotation | +98 - +103 | +101 | | 1%m/V dioxane; dried |
| Related substances | Conform | Conform | | HPLC |
| Any impurity | <=1 | 0 | % | |
| Total impurities | <=2 | 0 | % | |
| Loss on drying | <=0,5 | 0,0 | % | 105 °C |
| Metallic residues | CHMP/ICH/353369/2013 | Conform | | Data producer |
| Residual solvents | CHMP/ICH/82260/2006 | Conform | | Data producer |
| Assay Diflucortolon valerate | 97,0 - 102,0 | 99,6 | %m/m | Dried |
| TSE/BSE-statement: | No contamination with TSE/BSE-risk materials | Conform | | Data producer |
| TSE/BSE-statement: | No contamination with TSE/BSE-risk materials | Conform | | Data producer |

Analysis performed by the authorized laboratory Pharma Cosmetic Polen.

Release: Paul Hofman

Pharmacist - Qualified Person

11/20/20

Expiration: 04-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.