

Certificate of Analysis

Product name: **Ammonii carb ad praep hom.path**

Batch number / Weight: **22A15-B17-219398 / 1 KG**

Analysed according to: **Ph. Eur. 10.8**

Number of analysis / Inspection Code **22A15-B17 / INS-22-6565**

Reference Code / No.: **V00621 / 94353**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(almost) white, translucent masses or	Conform		
Appearance	almost white, crystalline powder,			
Appearance	with a strong smell of ammonia			
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Identification C	Conform	Conform		
Appearance of solution	Clear / colourless	Conform		
Chlorides	<=20	<20	ppm	
Sulphates	<=60	<60	ppm	
Assay Ammonia	30,0 - 37,0	31,40	%m/m	
Metallic residues	CHMP/ICH/353369/2013	Conform		
Residual solvents	CPMP/ICH/82 260/06	Conform		
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab FAGRON PL lab

Release:
Ewelina Gadzinowska
Qualified Person

17-10-2022

Expiration: 30-11-2026

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl Fagron Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:biuro@fagron.pl

fagron.pl

Fagron sp. z o.o.
ul. Pasternik 26, 31-354 Kraków, Poland
tel.: +48 12 3343 512
e-mail: biuro@fagron.pl