

Certificate of Analysis

Agar pulv. Product name:

22K29-B06-224390 / 100 G Batch number / Weight:

Analysed according to: Ph.Eur.11.0

Number of analysis / Inspection Code 22K29-B06 / INS-23-0077

V01408 / 1421/22 Reference Code / No.:

Tests	Requirement	Result	Unit	Standard remark
Appearance	powder or crumpled strips 2-5 mm wide or sometimes flakes, colourless or pale yellow, translucent, somewhat tough and difficult to break, becoming more brittle on dryin	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Identification C	Conform	Conform		
Identification D	Conform	Conform		
Swelling capacity	>= 10	10,0	ml	
Insoluble substances	<= 1,0	0,04	%	
Gelatine	Conform	Conform		
Loss on drying	<= 20,0	6,45	%	105 °C
Total ash	<=5,0	1,16	%	
Total aerobic microbial count (TA	A <=1000	2,0x10^1	CFU/g	
Total yeasts and moulds (TYMC)	<=100	<10	CFU/g	
Microorganisms	Negative / gram	Conform		
Salmonella	Negative / 10 gram	Conform		
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CPMP/ICH/82 260/06	Conform		Data producer
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

fagron.pl Fagron Sp. z o.o.

ul. Armii Krajowej 3 32-540 Trzebinia, Poland e-mail:biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Fagron PL lab, CBMiA

Release: Ewelina Gadzinowska Qualified Person

26-01-2023

Expiration: 31-10-2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Sp. z o.o. ul. Armii Krajowej 3 32-540 Trzebinia, Poland e-mail:biuro@fagron.pl