

## Certificate of Analysis

**Productname:** Eucalypti etheroleum

**Inspection No:** I08145/1021/536  
**Batchnumber:** 21117-T07-087116  
**Expiration date:** 07.09.2024  
**Analysed according to:** Ph.Eur.10.5  
**Original Manuf. Date:** 8.9.2021

**Sample Unit:** 1 x 1 ml  
**Batch Size:** 26 x 1 l

**Identification of producer:** V00201  
**Batch no. of vendor:** 1275879

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Bezbarvá nebo světle žlutá kapalina.	Conform			Fagron CZ
Odour	Reminiscent of 1,8-cineole.	Conform			Fagron CZ
IDENTIFICATION					
Identification B	Conform	Conform		Chromatographic profile, GC	Contract Lab
TESTS					
Relative density	0,906 - 0,927	0,912			Fagron CZ
Refractive index	1,458 - 1,470	1,461			Fagron CZ
Optical rotation	0 - +10	+3	°		Fagron CZ
Solubility in alcohol	Conform	Conform		10 volumes of ethanol (70% V/V)	Fagron CZ
Aldehydes	Conform	Conform			Fagron CZ
Chromatographic profile	Conform	Conform		GC	Contract Lab
alfa-pinene	0,05 - 10,0	1,68	%		Contract Lab
beta-pinene	0,05 - 1,5	0,21	%		Contract Lab
sabinene	<=0,3	<0,3	%		Contract Lab
alfa-phellandrene	0,05 - 1,5	1,00	%		Contract Lab
limonene	0,05 - 15,0	8,13	%		Contract Lab
1,8-cineole	>=70,0	82,6	%		Contract Lab
Camphor	<=0,1	<0,1	%		Contract Lab
Microbiology	Conform	Conform			Contract Lab
TAMC	<=2 x 10 <sup>3</sup>	<10	CFU/g		Contract Lab
TYMC	<=2 x 10 <sup>2</sup>	<10	CFU/g		Contract Lab
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform			Data Producer
Residual solvents	CPMP/ICH/82 260/2006	Conform			Data Producer
Metallic residues	ICH Q3D on elemental impurities	Conform			Data Producer

<b>Name</b>	Fagron a.s. (CZ)	<b>Address</b>	Holická 1098/31m, Olomouc	<b>Phone No.</b>	+420585222590
	Kontrolní laboratoř č. 536	<b>Post Code</b>	779 00	<b>Fax No.</b>	+420 585 226 521

**Performed by:** Lucie Kubáňová DiS.  
**Responsible:** Ing. Pavel Mišák, QC  
PharmDr. Ivana Urbánková, QA  
**Date:** 27.10.2021  
**Conclusion:** APPROVED

This document has been produced electronically from our quality system and is valid without signature.

<b>Name</b>	Fagron a.s. (CZ) Kontrolní laboratoř č. 536	<b>Address</b>	Holická 1098/31m, Olomouc	<b>Phone No.</b>	+420585222590
		<b>Post Code</b>	779 00	<b>Fax No.</b>	+420 585 226 521