

Certificate of Analysis

Productname: Latanoprostum (Latanoprost)

Number of analysis/Inspection Code: 1 / KEUR-198736B

Batchnumber: 23F08-F01-385504

Reference code / No.: 4095 / ND1234
Analysed according to: USPNF 23/1

Tests	Requirement	Result	Unit	Standard remark
Appearance	Colourless to slightly yellow oil	Conform		
Identification A	Conform	Conform		IR-spectrum
Identification B	Conform	Conform		Assay
Residue on ignition	<=0,50	0,00		
Organic impurities	Conform	Conform		HPLC
Orlistat rel.subst.C	<=0,15	Not detected	%	
Isopr.diph.phph.pentanoate	<=0,1	<0,05	%	
Latanoprost rel subst. B	<=0,5	<0,05	%	
Latanoprost rel subst. A	<=3,5	0,1	%	
Any other impurity	<=0,1	<0,05	%	
Total impurities	<=0,5	0,1	%	
Latanoprost rel subst. E	<=0,2	0,0	%	HPLC
Specific optical rotation	+31 - +38	+34	0	
Water (Karl Fischer)	<=2,0	0,2	%	
Metallic residues	CHMP/ICH/353369/2013	Conform		Data producer
Residual solvents	CHMP/ICH/82260/2006	Conform		Data producer
Assay Latanoprost	94,0 - 102,0	99,2	%	Anhydrous and solvent-free
TSE/BSE-statement:	No contamination with TSE/BSE-risk materials	Conform		Data producer

Analysis performed by the authorized laboratory Proxylabs.

Manufacturer / Country : Newchem Spa - SMS (Pavia) / IT

CEP

Release:

Anthony Amoureus Qualified Person

14-03-24

Expiration: 30-04-26

Conclusion: APPROVED

pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, simply open the document you want to convert, click "print", select the "Broadgun pdfMachine printer" and that's it! Get yours now!



This document has been produced electronically from our quality system and is valid without signature.					