

## Certificate of Analysis

**Productname:** ETHANOL 70% DENAT IPA+MEK+BIT

**Inspection No:** I05266/0621/536

**Batchnumber:** 21E05-T14-088225

**Expiration date:** 30.06.2024

**Analysed according to:** SPE V/058/C

**Sample Unit:** 1 x 500 ml

**Batch Size:** 199 x 5 l

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Colourless, clear, volatile, flammable liquid.	Conform			
IDENTIFICATION					
Identification A	Conform	Conform		Ethanol	
Identification B	Conform	Conform		Isopropyl alcohol	
Identification C	Conform	Conform		Methyl ethyl ketone	
Identification D	Conform	Conform		Bitrex	
TESTS					
Appearance	Clear, colourless	Conform			
Relative density	0,877 - 0,890	0,8781			
pH	6,0 - 7,0	7,0			
ASSAY					
Ethanol	66,5 - 73,5	72,8	% (v/v)	GC	

**Performed by:** Jitka Spáčilová

**Responsible:** PharmDr. Ivana Urbánková, QA  
PharmDr. Ivana Urbánková, QA

**Date:** 08.07.2021

**Conclusion:** APPROVED

This document has been produced electronically from our quality system and is valid without signature.