

## Certificate of Analysis

**Productname:** ETHANOL 70% DENAT IPA+MEK+BIT

**Inspection No:** I07454/0921/536

**Sample Unit:** 1 x 500 ml

**Batchnumber:** 21F08-T23-089082

**Batch Size:** 199 x 5 l

**Expiration date:** 30.09.2024

**Analysed according to:** SPE V/058/C

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Colourless, clear, volatile, flammable liquid.	Conform			
IDENTIFICATION					
Identification A	Conform	Conform		Ethanol	
Identification B	Conform	Conform		Isopropyl alcohol	
Identification C	Conform	Conform		Methyl ethyl ketone	
Identification D	Conform	Conform		Bitrex	
TESTS					
Appearance	Clear, colourless	Conform			
Relative density	0,877 - 0,890	0,878			
ASSAY					
Ethanol	66,5 - 73,5	72,8	% (v/v)	GC	

**Performed by:** Jitka Spáčilová

**Responsible:** Lenka Morávková, QC  
PharmDr. Ivana Urbánková, QA

**Date:** 27.09.2021

**Conclusion:** APPROVED

This document has been produced electronically from our quality system and is valid without signature.