

## Certificate of Analysis

**Product name:** **Bromelaina (> 1200 GDU/g)**  
**Batch number / Weight:** **21H12-B05-213965 / 100 G**  
**Analysed according to:** **Interni predpis**

Tests	Requirement	Result	Unit	Standard remark
Appearance	(Creamy-)white powder	Conform		
Identification A	Conform	Conform		UV-spectrum
Identification B	Blue	Conform		
Heavy metals	<=50	Conform	ppm	
Loss on drying	<=5	2,7	%	4 h 60 °C, vacuum
Sulphated ash	<=5	1,5	%	
Assay Bromelain	> 1200	2506	GDU / g	1 GDU = 2 FIP-units, data producer
Total aerobic microbial count (TA)	<=20000	<10	CFU / g	
Total yeasts and moulds (TYMC)	<=200	<10	CFU/g	
St. aureus	Negative / gram	Conform		
E. coli	Negative / gram	Conform		
Salmonella	Negative / 10 gram	Conform		
Bile-tolerant gram-neg. bacteria	<=200	<10	CFU / g	

Analysis performed by the authorized lab.

Release:  
Dominika Sołtysik  
Qualified Person

23-02-2022

Expiration: 31-05-2023

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.