

CERTIFICATE OF ANALYSIS

Name: 0374-553 - Ballotae nigr.herb.EF norm250g

Werkorder: 152102

Lot number: 21E19/V16520

Expiry date: 30/04/2024

Parameter	Measured Value	Specification Value Range	Analysis Method
Reference			
REFERENCE: Conforma			
Characters			
Description: Dark brown liquid	conform	conform	
Identification			
HPTLC	positive	positive	Conforma
Tests			
Relative density	1,05	1,00 - 1,10	Ph. Eur.
Ethanol	24,1 % V/V	> 22,0 % V/V	Conforma
Methanol	< 0,05 % V/V	< 0,05 % V/V	Conforma
2-Propanol	< 0,05 % V/V	< 0,05 % V/V	Conforma
Ratio herb/native extract	1/1		Ph. Eur.
Microbial contamination			
TAMC	97 cfu/g	< 100.000 cfu/g	Ph. Eur.
TYMC	< 10 cfu/g	< 10.000 cfu/g	Ph. Eur.
Bile-tolerant gram-negative bacteria	0 cfu/g	< 10.000 cfu/g	Ph. Eur.
E. coli	absent in 1g	absent in 1g	Ph. Eur.
Salmonella	absent in 25g	absent in 25g	Ph. Eur.
Assay			
Total ortho-dihydroxycinnamic acid derivatives: expressed as acteoside	1,9 % m/m	1,5 - 2,0 % m/m	Ph. Eur.
Release			
Conclusion	conform	conform	
Date	07/09/2021		

This is a computerised print of the original, signed report of analysis.
This report of analysis is valid without any subscription.

Signed by: Filip Van Houtte
Qualified Person

1/1