

Certificate of Analysis

Product name: Argenti nitras
Batch number: 20A13-B07-196387
Base unit: 10g
Expiration date: 31.07.2024
Quality: Ph. Eur.
Manufacturing date: 20.04.2020
Inspection report no.: INS-20-00315

Parameter	Limit value	Result	Unit	Laboratory
Appearance	white or almost white, crystalline powder or transparent, colourless crystals	conform		
Identification A	acc. to Ph. Eur.	conform		
Identification B	acc. to Ph. Eur.	conform		
Appearance of solution	acc. to Ph. Eur.	conform		
Acidity or alkalinity	acc. to Ph. Eur.	conform		
Foreign salts	max. 0,3%	0,18	%	
Aluminium, lead, copper and bismuth	acc. to Ph. Eur.	conform		
Assay	99,0 – 100,5%	99,19	%	
Residual solvents	CPMP/ICH/82 260/06	conform		data producer
Elemental impurities	CHMP/ICH/353369/2013	conform		data producer
TSE/BSE-statement	no contamination with TSE/BSE-risk materials	conform		data producer

Analysis performed by the laboratory: Fagron Poland.

Release:
Dominika Sottysik
Qualified Person



Fagron sp. z o.o.
Dominika Sottysik
Dominika Sottysik
osoba wykwalifikowana
qualified person

Date of releasing: 04.05.2020

Conclusion: Approved